August International Ltd United Kingdom Telephone: +44 (0) 845 250 0586 Email: service@augustint.com Web: www.augustint.com

AUGUST®

User Manual



- Wireless Presenter for Computer
- Télécommande de présentation pour Ordinateur
- Kabelloser Presenter f
 ür Computer
 - Telecomando di Presentazioni per Computer
- Mando inalámbrico para presentaciones

User Manual

1.Introduction

This wireless presenter is suitable for any presentation or PowerPoint occasion. With it, you don't need to stand beside your computer or have an assistant. It is very simple to use, just plug and play, and no driver is required.


The device enables you to control your presentation wirelessly up to 15 metres (48 feet) away, thanks to the advanced Radio Frequency (RF) technology that works through walls.

It combines the functions of a laser pointer and remote control. It is tailored as a convenient tool for presentations, teaching, meetings, speeches and training etc.

2. Operating System

The device supports Windows 98 / ME / 2000 / 2003 / XP / Vista / 7 / 8 / 10, Linux and Mac OS

3. Parts & Functions 3.1 Front




3.2 Top




Pull out the USB receiver

3.3 Back



4. Battery Installation

- The unit is powered by 1 x AAA battery
- Remove the battery compartment cover
- Insert 1 x AAA battery into the battery holder
- Put the battery compartment cover back in position



Note:

- 1) Do not insert battery into the presenter in the wrong direction.
- 2) Do not leave bad or exhausted battery in the presenter.
- If you do not use the presenter for a long period of time, remove the battery to avoid possible damage from battery corrosion.
- 4) If the presenter does not function correctly or if the operating range becomes reduced, try to replace the battery with new one.

5. Technical parameters

Presenter:

| Radio Frequency |
|--------------------------------|
| 2.4GHz |
| Up to 15m |
| Up to 100m |
| 1 x AAA battery |
| 1.5V |
| 650nm |
| ≤1mW |
| 128 x 20 x 18.5 mm (L x W x H) |
| 15g (Without battery) |
| |

USB receiver:

| Operating system | Windows 98 / ME / 2000 / 2003 / XP / Vista / 7 / 8 / 10, Linux and Mac OS |
|------------------|---|
| USB version | USB1.1 compatible with USB 2.0 and 3.0 |
| Work voltage | 4.5-5.5V |
| Size | 22 x 14.5 x 9.3 mm (L x W x H) |
| Weight | 2g |

Warning:

Laser radiation

Class 2 laser product

Do not view directly with optical instruments Do not point at people and animals

Please keep out of reach of children

Note:

Please note this instruction is only intended for reference. August International Ltd reserves rights to revise the product specifications, features and design without notice.

This product is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU. The Declaration of conformity may be consulted online at http://www.augustint.com/en/declaration.

